





1/12  
FIG. 1




2/12  
FIG. 2




3/12

FIG. 3





4/12  
FIG. 4



5/12

FIG. 5





**FIG. 6**

**108**






FIG. 7



Datastructure without Direct Leaves




8/12

**FIG. 8**


Format	Conditions	Valid in DTEntry ?	Valid in PSCB?	Format (2bits)	NPA/LCBA (26 bits)	NBT (8 bits)
Empty DTEntry	No leaves	Yes	No	00	0	0
Pointer to next PSCB	DtEntry contains pointer	Yes	Yes	00	NPA	NBT
Pointer to leaf	Single leaf associated with DTEntry; LCBA field contains pointer	Yes	Yes	01	LCBA	0

**FIG. 9**



9/12

FIG. 10



10/12

## FIG. 11

LUDefTable Tree Definition

Field	Size	Bits
CacheEntry	1	0
Tree_Type	2	2..1
hash-type	4	6..3
color_en	1	7
P1P2_max_size	5	12..8
NPARope_en	1	13
NPASMT_en	1	14
ComplIndex_en	1	15
PSCB fq index	6	21..16
PSCB Height	1	22
Mask Vector En	1	23
ComplIndex	8	31..24
DT base addr	26	57..32
DT size	4	61..58
DT interleaf	2	63..62
Leaf fq index	6	69..64
Leaf Width	2	71..70
Leaf Height	3	74..72
DirectLeafEn	1	75

11/12

## FIG. 12

Field	Size	Address in TSM where PSCB is located
NPA0	26	Next PSCB address: pointer to next PSCB in the tree for 0-part of PSCB
NBT0	8	Next bit to test for 0-part of PSCB
LCBA0	26	Leaf control block address: pointer to leaf for 0-part of PSCB
NPA1	26	Next PSCB address: pointer to next PSCB in the tree for 1-part of PSCB
NBT1	8	Next bit to test for 1-part of PSCB
LCBA1	26	Leaf control block address: pointer to leaf for 1-part of PSCB
Index	8	Index of this PSCB (physically stored in the previous PSCB)
PatBit	1	The value of HashedKey[Index], based on the value of the Index field in the PSCB register

## FIG. 13

Field Name	Length	Description
NLARope	4 bytes	Leaf chaining pointer, aging information and direct leaf information
Prefix_Len	1 byte	This field is not used by the TSE for FM trees and can be used by picocode
pattern	2 - 18 bytes	Pattern to be compared with the HashedKey
UserData	variable	The contents of this field is under complete picocode control; the UserData field can include one or more counters

FIG. 14 12/12

